UES Promura
10 – 12 McWilliam Street
Springvale Vic 3171
Tel: 03 9547 5833 Fax: 03 9548 1537
sales@uespromura.com.au
www.uespromura.com.au

SAFETY DATA SHEET (SDS)
POLYETHYLENE DAMPCOURSE
Issue Date: August 2026

STATEMENT OF HAZARDOUS NATURE:
Not classified as hazardous according to criteria of Worksafe Australia

COMPANY DETAILS:	
Company:	UES Promura
Address:	10 – 12 McWilliam Street Springvale Vic 3171
Telephone No.:	03 9547 5833
Facsimile No.:	03 9548 1537

PRODUCT IDENTIFICATION:	
Product Name:	Promura Embossed Polyethylene Dampcourse
Suppliers Code:	EMB110. EMB150, EMB230, EMB300, EMB380
U.N.NO:	Not regulated
Hazchem Code:	Not regulated
Correct Shipping Code:	Not regulated
Dangerous Goods Class:	Not applicable
Packaging Group:	Not applicable
Poisons Schedule:	Not regulated
Recommended Use:	For prevention of moisture movement to any part of a building requiring protection

TYPICAL COMPOSITIONAL INFORMATION:	
CHEMICAL ENTITY	PROPORTION
Low Density Polyethylene	High content (97%)
Carbon Black	Low content (2.5%)

TYPICAL PHYSICAL DATA:	
Appearance:	Black sheet/roll
Odour:	Nil (when cold)
Melting Point ºC	>200
Percent Volatiles (by wt):	0
Specific Gravity:	0.95
pH:	Not applicable
Solubility in Water:	Nil
Flash Point ºC	>260
Flammability Limits:	Not applicable
Auto ignition Temp ºC	>300

UES Promura
10 – 12 McWilliam Street
Springvale Vic 3171
Tel: 03 9547 5833 Fax: 03 9548 1537
sales@uespromura.com.au
www.uespromura.com.au

HEALTH HAZARD INFORMATION:	
HEALTH EFFECTS:	
Ingestion:	Ingestion of material is extremely unlikely. Low order of toxicity.
Eye:	Generally not applicable due to physical form. Not likely to cause any chemical irritation.
Skin:	No significant hazard.
Inhalation:	Exposure limits very unlikely to be exceeded under normal conditions of use.
Chronic Exposure Effects:	Not anticipated under normal conditions of use.
FIRST AID:	
Ingestion:	Seek medical advice.
Eye:	Seek medical advice.
Skin:	Wash contact area with soap and water properly.
Inhalation:	Remove person to clean air. Generally not applicable under normal conditions of use.

PRECAUTIONS FOR USE:	
Exposure Limits:	None assigned
Ventilation:	Always provide adequate ventilation.
Personal Protection:	Generally not necessary. As part of good safety practices and industrial hygiene wear protective clothing and shoes, launder soiled clothing before reuse and wash hands thoroughly after handling. Cotton gloves (or other types) can be worn to prevent hands being soiled.
Flammability:	Non-flammable.

STORAGE AND TRANSPORT:	
Class:	Not applicable
Packaging Group:	Not applicable
	Store undercover. Store rolls upright in enclosed containers.
Reactivity Data:	
Stability:	Stable
Materials to avoid:	Strong oxidizing agents.
Conditions to avoid:	Extreme heat.
Hazardous decomposition products:	Carbon monoxide, Aldehydes, Acetic acid.

UES Promura
10 – 12 McWilliam Street
Springvale Vic 3171
Tel: 03 9547 5833 Fax: 03 9548 1537
sales@uespromura.com.au
www.uespromura.com.au

SPILLS AND DISPOSAL:	
Spill:	Transfer to appropriate container for disposal. Non-hazardous solid waste. Assure conformity with applicable disposal regulations. Dispose of material at an approved disposal site or facility.
FIRE/EXPLOSION HAZARD:	
Flammability:	Non-flammable
Extinguishing media:	Carbon dioxide, Foam, Dry chemical, Water Fog or Fine Water Spray. Minimise breathing gases, vapour, fumes or decomposition products. Use supplied air breathing equipment for enclosed areas.

OTHER INFORMATION:	
Contact Point:	UES Promura
Telephone Number:	03 9547 5833 (BH)

DISCLAIMER:

The information provided by UES Promura in relation to UES Promura's goods or their use is given in good faith, which has been compiled from various sources and is believed by UES Promura to be appropriate and reliable. The actual use and application of the goods will vary with application conditions, which are beyond our control. UES Promura makes no representation, guarantee or warranty relating to the accuracy or reliability of the information and assumes no obligation or liability in connection with this information.