Polaris Nominees Pty Ltd ACN 005 089 207 trading as

UES Promura
ENGINEERING & INDUSTRIAL SOLUTIONS
ESTABLISHED 1966

ABN 55 155 859 127

10 - 12 McWilliam Street
Springvale Vic 3171

Telephone: (03) 9547 5833

Fax: (03) 9548 1537

Web Address: www.uespromura.com.au

Email: sales@uespromura.com.au

Promura Building Products

Specified by Builders since 1938

1st July 2009

CONTENTS

	PAGE
Promura Concrete Additives (100, 200, XX, 88, & **Bond Mate 500**)	1
Promura GripKote 300 Bitumen Paint, Liquid Concrete and Mortar Colour & Line Markers	2
Promura Foam Expansion Jointing & Adhesive Backed Foam Expansion Jointing	3
Promura Polythene Dampcourse, Malthoid, Aluminium Flashing & Bitumen Coated Aluminium	4
Promura Wall Ties & Promura Professional PVC Duct Tapes	5
Expandet Jumbo Wall Plugs & Screw Anchors	6
Promura Conform Bitumen Fibre Board & Gloves	7
Bar Codes and Index	8

Advice & Customer Service:

Managing Director	John Fleischmann	03 9547 5833
Sales	James Taklis	0434 161 338
Orders, Product and Account Enquiries	Linda Eburne	03 9547 5833

Polaris Nominees Pty Ltd ACN 005 089 207 trading as

UES Promura
ENGINEERING & INDUSTRIAL SOLUTIONS
ESTABLISHED 1966

ABN 55 155 859 127

10 - 12 McWilliam Street Springvale Victoria 3171

Telephone: (03) 9547 5833 Fax: (03) 9548 1537

Web Address: www.uespromura.com.au
Email: sales@uespromura.com.au

Concrete Additives



Promura 100 Clear Cement Waterproofer

Waterproofs mortar, external & internal cement render. Use 1 litre per 20 litres of water or 1 litre per 40kg of cement. Cement to sand ratio must be 1 to 3

Item Code	Pack Size Litres	Ctn Qty
2L100	2.5	6
5L100	5	4
20L100	20	1



Promura 200 Quick Setter

Reduces the setting time of concrete.
Use 2.5 to 5 litres per 40kg of cement, depending on concrete strength.

Item Code	Pack Size Litres	Ctn Qty
2L200	2.5	6
5L200	5	4
20L200	20	1



Promura XX Mortar Plasticiser

Suitable for use with ***"fatty"*** sands. Use 30ml per 40kg of cement or 250ml per 200 litres of water.

Item Code	Pack Size Litres	Ctn Qty
2LXX	2.5	6
5LXX	5	4
20LXX	20	1



Promura 88 Mortar Plasticiser

Makes cement more workable. Suitable for use with ***"course, hungry sand".*** Use 30 – 60 ml per 40kg of cement, depending on the type of sand.

Item Code	Pack Size Litres	Ctn Qty
2L88	2.5	6
5L88	5	4
20L88	20	1



Promura Bond Mate 500 PVA Bonding Agent

Gives perfect adhesion for plaster or cement rendering.
Coat surface with a half strength solution of Promura Bond Mate

Item Code	Pack Size Litres	Ctn Qty
2LBond Mate	**2.5**	**6**
5LBond Mate	**5**	**4**
20LbondMate	**20**	**1**

WARNING: THE CUSTOMER SHALL CONDUCT THEIR OWN TEST TO DETERMINE THE SUITABILITY AND THE FITNESS OF THE PRODUCT FOR THE CUSTOMER'S INTENDED USE.

Polaris Nominees Pty Ltd ACN 005 089 207 trading as

UES Promura
ENGINEERING & INDUSTRIAL SOLUTIONS
ESTABLISHED 1966

ABN 55 155 859 127

10 - 12 McWilliam Street Springvale Victoria 3171

Telephone: (03) 9547 5833 Fax: (03) 9548 1537

Web Address: www.uespromura.com.au
Email: sales@uespromura.com.au



Promura GripKote 300 Multi-Purpose Waterproofing Bitumen Paint
Water-Based * Non Toxic * Non Hazardous * Odourless
Suitable for Waterproofing of Drinking Water Tanks and Fish Ponds

Item Code	Pack Size Litres	Carton Qty
1LGripKote	1	12
4LGripKote	4	6
20LGripKote	20	1

Liquid Colours



Promura Liquid Mortar & Concrete Colours

Highly concentrated liquid concrete colouring agent that is easy to use.
Use 7.5 litres per 1000 bricks: 1.5 litres per 20kg of cement or 20 litres per cubic meter of concrete.

Jet Black	Pack Size Litres	Carton Qty
2L Jet Black	2.5	6
5L Jet Black	5	4
20L Jet Black	20	1

Sport's Field Marker



Promura Sport's Field Line Markers

A uniformly coloured liquid, in either black or white, to mark out playing areas on sports fields.

Item Code	Pack Size Litres	Ctn Qty
5L BLACKLINE	5	4
20L BLACKLINE	20	1
20L WHITELINE	20	1

WARNING: THE CUSTOMER SHALL CONDUCT THEIR OWN TEST TO DETERMINE THE SUITABILITY AND THE FITNESS OF THE PRODUCT FOR THE CUSTOMER'S INTENDED USE.

Polaris Nominees Pty Ltd ACN 005 089 207 trading as

UES Promura
ENGINEERING & INDUSTRIAL SOLUTIONS
ESTABLISHED 1966

ABN 55 155 859 127

10 - 12 McWilliam Street Springvale Victoria 3171

Telephone: (03) 9547 5833 Fax: (03) 9548 1537

Web Address: www.uespromura.com.au
Email: sales@uespromura.com.au

Promura Flex Foam Expansion Jointing (Zipped) 25 Metre Rolls

Item Code	Description	Qty per Pack
Flex 25m 75mm	25 metres x 75mm x 10mm	15
Flex 25m 100mm	25 metres x 100mm x 10mm	12
Flex 25m 125mm	25 metres x 125mm x 10mm	9
Flex 25m 150mm	25 metres x 150mm x 10mm	8
Flex 25m 200mm	25 metres x 200mm x 10mm	6
Flex 25m 300mm	25 metres x 300mm x 10mm	4



Flex Adhes 75	25 metres x 75mm x 10mm Adhesive	15
Flex Adhes 100	25 metres x 100mm x 10mm Adhesive	12
Flex Adhes 125	25 metres x 125mm x 10mm Adhesive	9
Flex Adhes 150	25 metres x 150mm x 10mm Adhesive	8
Flex Adhes 200	25 metres x 200mm x 10mm Adhesive	6
Flex Adhes 300	25 metres x 300mm x 10mm Adhesive	4

Promura Flex Foam Expansion Jointing 6 Metre Roll Handy-Packs

Item Code	Description	Qty per Pack
Flex 6m 75mm	6 metres x 75mm x 10mm	15
Flex 6m 100mm	6 metres x 100mm x 10mm	12



WARNING: THE CUSTOMER SHALL CONDUCT THEIR OWN TEST TO DETERMINE THE SUITABILITY AND THE FITNESS OF THE PRODUCT FOR THE CUSTOMER'S INTENDED USE.

Polaris Nominees Pty Ltd ACN 005 089 207 trading as
UES Promura
ENGINEERING & INDUSTRIAL SOLUTIONS
ESTABLISHED 1966
ABN 55 155 859 127

10 - 12 McWilliam Street Springvale Victoria 3171

Telephone: (03) 9547 5833 Fax: (03) 9548 1537

Web Address: www.uespromura.com.au
Email: sales@uespromura.com.au

Dampcourse & Flashing

Promura Black Embossed Polythene Dampcourse (500 Micron)

Item Code	Ctn Qty	Width mm	Length Mt
EMB110 R (12)	12	110	30
EMB150 R (8)	8	150	30
EMB230 R (8)	8	230	30
EMB300 R (6)	6	300	30
EMB380 R (4)	4	380	30

Promura 2 Ply Malthoid Roofing and Dampcourse

Item Code	Width mm	Length Mt
MAL110	110	20
MAL150	150	20
MAL230	230	20
MAL1000	1000	20

Promura 0.3mm Raw Aluminium Window Flashing

Item Code	Width mm	Length Mt
RAW15010	150	10
RAW23010	230	10
RAW30010	300	10

Promura 0.3mm Standard Bitumen Coated Aluminium

Item Code	Width mm	Length Mt
STD110	110	10
STD150	150	10
STD230	230	10
STD300	300	10






WARNING: THE CUSTOMER SHALL CONDUCT THEIR OWN TEST TO DETERMINE THE SUITABILITY AND THE FITNESS OF THE PRODUCT FOR THE CUSTOMER'S INTENDED USE.

Polaris Nominees Pty Ltd ACN 005 089 207 trading as
UES Promura
ENGINEERING & INDUSTRIAL SOLUTIONS
ESTABLISHED 1966

ABN 55 155 859 127

10 - 12 McWilliam Street Springvale Victoria 3171

Telephone: (03) 9547 5833 Fax: (03) 9548 1537

Web Address: www.uespromura.com.au
Email: sales@uespromura.com.au

Brick & Wall Ties



Item Code	Description	Pack Qty
WALLDR(500) C	Double Ring, Light Duty 50mm Cavity	500
WALLUS MD90 C	Medium Duty U-Shape 90mm Cavity	500
WALLUSHD120C	Heavy Duty U-Shape 120mm Cavity	250
V Form Tie	V Form Vertical Control Gap Tie	20
VENTSF230165	Vent 230mm x 165mm Subfloor Vent	20
VENTSLIM (20)	Vent 230mm x 75mm Slim Vent	20
SLIMTIEFF	Slim Ties Face Fix With Nails	150
SISAFIX	Sisalation Foil Fasteners	500
EXPTIEPLAS	Expansion Ties with Plastic Slide	50

PROMURA Professional PVC Duct Tapes

PVC Duct Tape for Professional Use

For lagging or pipe wrapping, joining of plastic sheeting in concrete. Formwork, sealing, containers and drums electrical work, strapping and general building

Item Code	Description
TAPE50MM	50mm x 30m x 0.13mm (60 per carton) Grey
TAPE75MM	75mm x 30m x 0.13mm (40 per carton) Grey
TAPE BLACK 13	50mm x 30m x 0.13mm (60 per carton) Black



WARNING: THE CUSTOMER SHALL CONDUCT THEIR OWN TEST TO DETERMINE THE SUITABILITY AND THE FITNESS OF THE PRODUCT FOR THE CUSTOMER'S INTENDED USE.

Polaris Nominees Pty Ltd ACN 005 089 207 trading as
UES Promura
ENGINEERING & INDUSTRIAL SOLUTIONS
ESTABLISHED 1966

ABN 55 155 859 127

10 - 12 McWilliam Street Springvale Victoria 3171

Telephone: (03) 9547 5833 Fax: (03) 9548 1537

Web Address: www.uespromura.com.au
Email: sales@uespromura.com.au

Expandet Screw Anchors



Jumbo Green
10 Packs Per Carton
10 Bags of 10 Each
100 Per Pack

Jumbo Red
9 Packs Per Carton
10 Bags of 12 Each
120 Per Pack

Code	Description (Colour & Plug Length)	No of Frames (25 Plugs per Frame)	Pack Qty	Drill Size	Display Packs per Carton
WHITE25	White 25mm	20	500	5mm	30
WHITE35	White 35mm	20	500	5mm	20
RED25	**Red 25mm**	**20**	**500**	**6mm**	**24**
RED35	**Red 35mm**	**20**	**500**	**6mm**	**16**
GREEN25	Green 25mm	20	500	7mm	24
GREEN30	Green 30mm	20	500	7mm	20
GREEN35	Green 35mm	20	500	7mm	16
GREEN50	Green 50mm	10	250	7mm	24
BLUE25	Blue 25mm	20	500	8mm	18
BLUE35	Blue 35mm	20	500	8mm	12
BLUE50	Blue 50mm	10	250	8mm	18
ORANGE35	Orange 35mm	4	100	10mm	50
ORANGE50	Orange 50mm	4	100	10mm	36
ORANGE60	Orange 60mm	4	100	10mm	30
GREY50	Grey 50mm	4	100	11mm	28
GREY75	Grey 75mm	4	100	11mm	20








WARNING: THE CUSTOMER SHALL CONDUCT THEIR OWN TEST TO DETERMINE THE SUITABILITY AND THE FITNESS OF THE PRODUCT FOR THE CUSTOMER'S INTENDED USE.

Polaris Nominees Pty Ltd ACN 005 089 207 trading as

UES Promura
ENGINEERING & INDUSTRIAL SOLUTIONS
ESTABLISHED 1966

ABN 55 155 859 127

10 - 12 McWilliam Street Springvale Victoria 3171

Telephone: (03) 9547 5833 Fax: (03) 9548 1537

Web Address: www.uespromura.com.au
Email: sales@uespromura.com.au

Promura Conform Bitumen Fibre Board

Length: 2.44 metres Thickness: 8.5mm

Item Code	Width	Pack Size
CONFORM 75	75mm	20
CONFORM100	100mm	20
CONFORM125	125mm	10
CONFORM150	150mm	10
CONFORM200	200mm	10
CONFORM300	300mm	10





G600 (10)
Chemical Resistant Industrial Rubber Gloves
10 Pairs per Carton

WARNING: THE CUSTOMER SHALL CONDUCT THEIR OWN TEST TO DETERMINE THE SUITABILITY AND THE FITNESS OF THE PRODUCT FOR THE CUSTOMER'S INTENDED USE.

Item Codes are in Alpabetical Order
(Numbers come before Letters)

Item Code	Bar Code	Page No
1LGripKote	93 10282 99301 5	2
20L100	93 10282 99078 6	1
20L200	93 10282 99082 3	1
20L88	93 10282 99070 0	1
20LJETBLACK	93 10282 99052 6	2
20LBLACKLINE	93 10282 99111 0	2
20LBond Mate	93 10282 99090 8	1
20LGripKote	93 10282 99303 9	2
20LWHITELINE	93 10282 99113 4	2
20LXX	93 10282 99074 8	1
2L100 (2.5L)	93 10282 99076 2	1
2L200 (2.5L)	93 10282 99080 9	1
2L88 (2.5L)	93 10282 99068 7	1
2LBond Mate	93 10282 99088 5	1
2LJETBLACK2.5	93 10282 99050 2	2
2LXX (2.5L)	93 10282 99072 4	1
4LGripKote	93 10282 99302 2	2
5L100	93 10282 99077 9	1
5L200	93 10282 99081 6	1
5L88	93 10282 99069 4	1
5LBLACKLINE	93 10282 99110 3	2
5LBond Mate	93 10282 99089 2	1
5LJETBLACK	93 10282 99051 9	2
5LXX	93 10282 99073 1	1
BLUE25 (18)	57 08620 01613 9	6
BLUE35 (12)	57 08620 01615 3	6
BLUE50 (18)	57 08620 01616 0	6
EMB110 R (12)	93 10282 99155 4	4
EMB150 R (8)	93 10282 99156 1	4
EMB230 R (8)	93 10282 99157 8	4
EMB300 R (6)	93 10282 99158 5	4
EMB380 R (4)	93 10282 99159 2	4
EXPTIEPLAS	93 10282 99199 8	5
Flex 25m 75mm	93 10282 99116 5	3
Flex 25m100mm	93 10282 99117 2	3
Flex 25m125mm	93 10282 99118 9	3
Flex 25m150mm	93 10282 99119 6	3
Flex 25m200mm	93 10282 99245 2	3
Flex 25m300mm	94 10282 99307 7	3

Item Code	Bar Code	Page No
Flex Adhes 75	93 10282 99241 4	3
Flex Adhes100	93 10282 99242 1	3
Flex Adhes125	93 10282 99246 9	3
Flex Adhes150	93 10282 99243 8	3
Flex Adhes200	93 10282 99244 5	3
Flex Adhes300	93 10282 99308 4	3
Flex6m 75mm	93 10282 99114 1	3
Flex6m100mm	93 10282 99115 8	3
G600(10)	93 10282 99186 8	7
GREEN25 (24)	57 08620 01609 2	6
GREEN30 (20)	57 08620 01610 8	6
GREEN35 (16)	57 08620 01611 5	6
GREEN50 (24)	57 08620 01612 2	6
GREY50	57 08620 01622 1	6
GREY75	57 08620 01624 5	6
JUMBOGREEN	93 10282 99930 7	6
JUMBORED	93 10282 99933 8	6
MAL1000 x 20m	93 10282 99166 0	4
MAL110 x 20m	93 10282 99162 2	4
MAL150 x 20m	93 10282 99163 9	4
ORANGE35 (50)	57 08620 01618 4	6
ORANGE50 (36)	57 08620 01619 1	6
ORANGE60 (30)	57 08620 01620 7	6
RAW15010	93 10282 99167 7	4
RAW23010	93 10282 99168 4	4
RAW30010	93 10282 99169 1	4
RED25 (24)	57 08620 01605 4	6
RED35(16)	57 08620 01607 8	6
SLIMTIEFF	93 10282 99904 8	5
STD110	93 10282 99146 2	4
STD150	93 10282 99310 7	4
STD230	93 10282 99148 6	4
STD300	93 10282 99149 3	4
TAPE 72mmWIDE	93 10282 99992 5	5
Tape48 Grey	93 10282 99999 4	5
TAPE BLACK 13	93 10282 99311 4	5
V Form Tie	93 10282 99300 8	5
VENTSF230165	93 10282 99905 5	5
VENTSLIM(20)	93 10282 99221 6	5
WALLDR(500) C	93 10282 99192 9	5
WALLUS MD90 C	93 10282 99309 1	5
WALLUSHD120C	93 10282 99193 6	5