# GHS SAFETY DATA SHEET

## CAT'S CHOICE NATURAL CAT LITTER 20KG

| | |
|---|---|
| **Date of Issue:** | August 2026 |
| **Version:** | 1 |
| **Replaces:** | None |

## 1. IDENTIFICATION

| | |
|---|---|
| **Product Name:** | Cat's Choice Natural Cat Litter 20KG |
| **Synonyms:** | Attapulgite; Attapulgus Clay; Palygorskite; clay |
| **CAS Number:** | 12174-11-7 |
| **Product Use:** | Cat Litter |
| **Distributor:** | UES Promura |
| **Address:** | 10 – 12 McWilliam Street Springvale Vic 3171 |
| **General Information:** | Tel: **03 9547 5833**<br>Fax: **03 9548 1537**<br>Web: **www.uespromura.com.au**<br>Email: **sales@uespromura.com.au** |
| **Emergency Phone Number:** | **03 9547 5833** |

## 2. HAZARD IDENTIFICATION

**GHS Classification:**

| Health | Environmental | Physical |
|---|---|---|
| Reversible Effects on the eye – Category 2B | Not Applicable | Not Applicable |

**Pictogram/Symbol:**



**Hazard Category:** Carcinogenicity – category 2
Specific target organ toxicity (repeated exposure) – category 2

**Hazard Statement:** H351 (Suspected of causing cancer)
H373 (May cause damage to organs through prolonged or repeated exposure if inhaled)

**Signal Word:** Warning

| Hazard Statements | Precautionary Statements |
|---|---|
| • H351 (Suspected of causing cancer)<br>• H373 (May cause damage to organs through prolonged or repeated exposure if inhaled) | • Carcinogenicity – category 2<br>• Specific target organ toxicity (repeated exposure) – category 2. |

| 3. COMPOSITION/ INFORMATION ON INGREDIENTS | |
|---|---|
| **Chemical Identity** | Attapulgite |
| **Common name:** | Attapulgus clay, Palygorskite |
| **CAS Registry no:** | 12174-11-7 |
| **Impurities and additives:** | No known impurities and additives |
| **Concentration** | Palygorskite 48%<br>Kaolinite-1A 20%<br>Quartz, 17%<br>Dolomite 12%<br>Halite 2% |

| 4. FIRST-AID MEASURES | |
|---|---|
| **Swallowed:** | • If swallowed in small quantities, first aid is generally not required, however if in doubt, seek medical treatment.<br>• If ingested in small quantities, no adverse effects known.<br>• If ingested in large quantities provide water and seek medical treatment as necessary. |
| **Eyes:** | • If this product comes into contact with the eyes, flush immediately with large amounts of water for at least 20 minutes.<br>• During the flushing of the eyes, keep eyelids apart and away from the eye and occasionally lifting the upper and lower lids to flish. If irritation continues, seek medical attention. |
| **Skin:** | • Wash with soap and water.<br>• In the event of irritation, seek medical attention. |
| **Inhaled:** | • Move to fresh air. Seek medical attention if necessary. |
| **Notes to Physician:** | • Treat symptomatically. |

| 5. FIRE FIGHTING MEASURES | |
|---|---|
| **Suitable Extinguishing Media:** | • There is no restriction on the type of fire extinguisher which may be used.<br>• Use extinguishing media suitable for surrounding areas. |
| **Specific hazards arising from the chemical:** | • This product is not flammable or combustible in original form<br>• Attapulgite is a porous medium.<br>• Some substances (such as, but not limited to, tall/pine oil, hydrofluoric acid, linoleic fatty acid and linoleic fatty acid) may self-heat to the point of ignition when absorbed by, or mixed with, Attapulgite.<br>• Non flammable<br>• Non combustible<br>• Not considered a fire risk, however containers may burn. |
| **Special protective** | • This product is not flammable under conditions of use and does not support combustion. However, some substances (such as, but not limited to, tall/pine oil, hydrofluoric acid, linoleic fatty acid and linoleic fatty acid) may self-heat to the point of ignition when absorbed by, or mixed with, Attapulgite.<br>• Safety precautions should be determined by the properties of external substances absorbed, or mixed with, Attapulgite. |
| **ACTIONS FOR FIRE-FIGHTERS:** | Some substances (such as, but not limited to, tall/pine oil, hydrofluoric acid, linoleic fatty acid and linoleic fatty acid) may self-heat to the point of ignition when absorbed by, or mixed with, Attapulgite<br><br>Safety precautions should be determined by the properties of external substances absorbed, or mixed with, Attapulgite.<br><br>Avoid dust formation. |

| 6. ACCIDENTAL RELEASE MEASURES | |
|---|---|
| **Personal precautions, protective equipment, and emergency procedures:** | • Avoid dust formation<br>• Appropriate personal protection should be used when handling.<br>• More information is available in Section 8 of this Safety Data Sheet. |
| **Environmental Precautions:** | • Recover product wherever possible.<br>• If contamination of drains or waterways occurs, advise emergency personnel. |
| **Methods for containment and cleaning up:** | • Ventilate the spill area<br>• Vacuum up or wet sweeping may be used to avoid dust dispersal.<br>• Place in suitable containers for disposal.<br>• Wash or vacuum residues. |
| **7. HANDLING AND STORAGE** | |
| **Precautions for safe handling:** | • Use in a well-ventilated area.<br>• Appropriate personal protection should be used when handling.<br>• Avoid contact with incompatible materials.<br>• Use good occupational work practice.<br>• More information is available in Section 8 of this Safety Data Sheet. |
| **Conditions for safe storage, including any incompatibilities:** | • Multi-ply paper bag with sealed plastic liner or heavy gauge plastic bag.<br>NOTE: Bags should be stacked, blocked, or interlocked and limited in height so that they are stable and secure against sliding or collapse. Check that all containers are clearly labelled and free from leaks.<br>• Store in original container.<br>• Keep containers securely sealed. |

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

| | | |
|---|---|---|
| **Exposure Limits:** | Substance: | Attapulgite |
| | CAS No: | 12174-11-7 |
| | Limit Value: | 8 hours |
| | **Exposure Limit in Air,** - Respirable dust<br>Respirable Silica (Quartz) | 3 mg/m$^3$<br>0.05 mg/m$^3$ |
| **Engineering Controls:** | • Avoid generating dust.<br>• Use local extraction ventilation<br>• If no local extraction ventilation is available when handling product, refer to "Personal Protection" below. | |
| **Personal Protection:** | **Eye Protection:**  | • The use of mono goggles are required If dust is generated or likely to be generated. |
| | **Skin Protection:** | • Regular clothing is required.<br>• Wash work clothes regularly. |
| | **Respiratory Protection:**  | • P2 Respiratory protection is required If dust is generated or likely to be generated.<br>• Respirator fit test required prior to any respirator being worn. |
| | **Other Protection:**  | • Other protective clothing is not required.<br>• Disposable coveralls are recommended if handling large quantities of the product. |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|---|
| **Appearance** | White to buff grey, granular |
| **Odour** | Not Applicable |
| **Odour threshold** | Not Applicable |
| **pH** | 7.5-9.5 |
| **Melting point/freezing point** | Not Applicable |
| **Initial boiling point and boiling range** | Not Applicable |
| **Flash point** | Non-flammable |
| **Evaporation rate** | Not Applicable |
| **Flammability** | Not flammable in its natural state |
| **Upper/lower flammability or exposure limits** | Not Applicable |
| **Vapour pressure** | Not Applicable |
| **Vapour density** | Not Applicable |
| **Relative density** | Not Applicable |
| **Solubility** | Insoluble |
| **Partition coefficient** | Not Applicable |
| **Auto-ignition temperature** | Not Applicable |
| **Decomposition temperature** | Not Applicable |
| **Viscosity** | Not Applicable |
| **Conditions to avoid:** | Not Applicable |
| **Incompatible materials:** | • This product is not reactive under normal conditions of storage, use and transportation. However, some substances (such as, but not limited to, tall/pine oil, hydrofluoric acid, linoleic fatty acid and linoleic fatty acid) may self-heat to the point of ignition when absorbed by, or mixed with, Attapulgite. |
| **Hazardous decompositions products:** | Not Applicable |

| **10. STABILITY AND REACTIVITY** | |
|---|---|
| **Reactivity:** | • This product is not reactive under normal conditions of storage, use and transportation. However, some substances (such as, but not limited to, tall/pine oil, hydrofluoric acid, linoleic fatty acid and linoleic fatty acid) may self-heat to the point of ignition when absorbed by, or mixed with, Attapulgite.<br>• Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure. |
| **Chemical stability:** | • Stable under ambient temperature and pressure. |
| **Possibility of hazardous reactions:** | Not Applicable |

| **11. TOXICOLOGICAL INFORMATION** | | |
|---|---|---|
| Acute Toxicity | | Not Applicable |
| Skin Corrosion/ irritation | | Not Applicable |
| Serious eye damage/ eye irritation | | Category 2 B |
| Respiratory or skin sensitization | | Not Applicable |
| Germ cell mutagenicity | | Not Applicable |
| Carcinogenicity | | Not Applicable |
| Reproductive toxicity | | Not Applicable |
| Specific target organ toxicity – single exposure | | Not Applicable |
| Specific target organ toxicity – repeated exposure | | Not Applicable |
| Aspiration hazard | | Not Applicable |
| **Routes of exposure:** | **Ingestions** | • No data available on the possible adverse effects on humans of long-term oral exposure to clay |
| | **Inhalation** | • Inhalation of high dust levels may cause irritation to the mucous membranes of the nose, throat, and respiratory tract.<br>• Persons with a history of respiratory illness should not be exposed to conditions where exposure to significant dust levels is likely. |
| | **Skin Exposure** | • No data available on the possible adverse effects on humans of long-term exposure to clay upon direct skin contact |
| | **Eye Exposure** | • Fine dust particles may cause mechanical irritation, resulting in redness. |
| **Symptoms:** | Not Applicable | |
| **Delayed and immediate effects:** | • Inhalation of high dust levels may cause irritation to the mucous membranes of the nose, throat, and respiratory tract.<br>• Persons with a history of respiratory illness should not be exposed to conditions where exposure to significant dust levels is likely. | |
| **Toxicity:** | Not Applicable | |

| 12. ECOLOGICAL INFORMATION | |
|---|---|
| **Ecotoxicity:** | This product is unlikely to adversely affect the environment. Expected to not be an environmental hazard. |
| **Persistence and degradability:** | Product is not biodegradable |
| **Bio accumulative potential:** | Not Applicable |
| **Mobility in soil:** | Not Applicable |
| **Other adverse effects:** | Not Applicable |

| 13. DISPOSAL CONSIDERATIONS | |
|---|---|
| Disposal Methods | • Manage disposal in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options<br>• Used product should be considered to have the same properties as the material it has absorbed.<br>• National, state and local regulations may apply |
| Special Precautions for Landfill or Incineration | • Under normal circumstances, if the product has been used to absorb petroleum hydrocarbons, the mixture cannot be discarded into general (solid) waste landfill. Consult with applicable local Waste Management authority to ensure proper disposal practices.<br>• Not incinerable in its natural form. |

| 14. TRANSPORT INFORMATION | |
|---|---|
| **UN Number:** | Not Applicable |
| **UN Proper Shipping Name:** | Not Applicable |
| **Transport hazard class (es):** | Not Applicable |
| **Packing Group:** | Not Applicable |
| **Special Precautions:** | No special precautions required for transport. |
| **HAZCHEM Code:** | Not Applicable |

| 15. REGULATORY INFORMATION | |
|---|---|
| Poisons Schedule Number: | Not Applicable |
| National Industrial Chemicals Notification & Assessment Scheme: | Not Applicable |
| Australian Pesticides & Veterinary Medicines Authority: | Not Applicable |
| Therapeutic Goods Administration: | Not Applicable |
| Food Standards Australia New Zealand: | Not Applicable |

## 16.OTHER INFORMATION

**Incompatibilities**
Attapulgite may decrease the bioavailability of some drugs such as loperamide and riboflavin. Oxidation of hydrocortisone is increased in the presence of attapulgite

**Safety Profile**
Suspected carcinogen with experimental neoplastigenic and tumorigenic data. When heated to decomposition it emits acrid smoke and irritating fumes.

**PREPERATION OF THIS SAFETY DATA SHEET**

This data sheet has been prepared according to the guidelines issued under the Globally Harmonized System of Classification and Labelling of Chemicals (GHS). All disclosures have been made on best practice judgements to provide relevant information in line with the GHS guidelines.

**NOTE**

The information provided in this Safety Data Sheet is to the best of our knowledge, true and accurate. Any recommendation or suggestions that may be made are without guarantee since the conditions are beyond our control. The information and recommendations offered are for the user's consideration. It is the user's responsibility to satisfy themselves that the product is suitable and complete for their purposes.

We recommend that the safety and handling information presented in this Safety Data Sheet be passed on to your customers and handlers.

**DISCLAIMER**

The information contained in this sheet is for general guidance only and believed to be correct. Hudson Marketing Pty Ltd accepts no responsibility as to its completeness or accuracy. This information is supplied on the condition that the receiver will determine its suitability for the purpose. It does not replace the advice of professional consultants.

No liability is accepted for any inaccuracy or for loss, injury or damage arising from the use of the above information.