

TRADE-TIE

The Tradesman's Choice 316 Stainless Steel Ball- Lock Cable ties

TRADE-TIE 316 Stainless Steel cable ties have a high tensile strength and are easy to use with a self-locking application or with a tool, for uniform tension and cutting.

Lasting far longer than nylon ties, stainless steel cable ties are a quick and effective way of securing cables and have high corrosion resistance.

In a range of lengths, coated and uncoated, they can be used in virtually all indoor, outdoor, heavy industrial and underground application. Additionally, Black Epoxy coated ties reduces the risk of cutting or scuffing cable.



- **EXTRAORDINARY STRENGTH** - Manufactured in high strength and durable 316 Stainless steel.
- Available in 2 widths - 4.6 and 7.9mm for use with identification and bundling larger cables.
- Loop tensile strengths - 60kg and 117kg to select for your requirements.
- Self-locking or by tools available to ensure precision tension and uniform cut off.
- Non flammable and fire resistant to 500°C



TRADE-TIE Ball Lock 316 Stainless Steel Cable Ties (100 per pack)

Code	Length mm	Width mm	Bundle Diameter mm	Minimum Loop Tensile Strength Kg	Weight
SSTie4.6 x150	150	4.6	39	60	200 gm
SSTie4.6 x200	200	4.6	52	60	280 gm
SSTie4.6 x350	350	4.6	91	60	400 gm
SSTie4.6 x500	500	4.6	130	60	500 gm
SSTie4.6 x700	700	4.6	182	60	800 gm
SSTie4.6 x1000	1000	4.6	260	60	1 kg
SSTie7.9 x150	150	7.9	39	117	400 gm
SSTie7.9 x200	200	7.9	52	117	500 gm
SSTie7.9 x350	350	7.9	91	117	750 gm
SSTie7.9 x500	500	7.9	130	117	900 gm
SSTie7.9 x700	700	7.9	182	117	1.5 kg
SSTie7.9 x1000	1000	7.9	260	117	1.8 kg

Tools

KT Cable Gun	Ball Lock Stainless Steel Cable Tie Gun
KS652 Cable Tie Tool	Ball Lock Tensioner & Cutter Tool

TRADE-TIE Ball Lock 316 Stainless Steel Cable Ties

- Stainless steel cable ties are a quick effective way of securing cables.
- High corrosion resistance ideal for marine projects and harsh environments.
- They can be used in virtually all indoor, outdoor, heavy industrial and underground applications.
- Unique self-locking mechanism that allow easy and quick application.
- High tensile strength – 60 & 117 kg
- Non-flammable
- Temperature range: 80°C ~ 500°C

Custom Colour TRADE-TIE Stainless Steel Cable Ties

- Available in a range of custom colours
- Minimum ordering quantities and lead times applies



TRADE-TIE - The Tradesman's Choice



TRADE-TIE Black Epoxy Coated Ball Lock 316 Stainless Steel Cable Ties (100 per pack)

Code	Length mm	Width mm	Bundle Diameter mm	Minimum Loop Tensile Strength Kg	Weight
CTie4.6 x150	150	4.6	39	60	220 gm
CTie4.6 x200	200	4.6	52	60	275 gm
CTie4.6 x350	350	4.6	91	60	450 gm
CTie4.6 x500	500	4.6	130	60	550 gm
CTie4.6 x700	700	4.6	182	60	900 gm
CTie4.6 x1000	1000	4.6	260	60	1.1 kg
CTie7.9 x150	150	7.9	39	117	450 gm
CTie7.9x200	200	7.9	52	117	550 gm
CTie7.9x350	350	7.9	91	117	850 gm
CTie7.9x500	500	7.9	130	117	1 kg
CTie7.9 x700	700	7.9	182	117	1.65 kg
CTie7.9x1000	1000	7.9	260	117	2 kg

Tools

KT Cable Gun	Ball Lock Stainless Steel Cable Tie Gun
KS652 Cable Tie Tool	Ball Lock Tensioner & Cutter Tool

TRADE-TIE Black Epoxy Coated 316 Stainless Steel Cable Ties

- Black Epoxy coating reduces the risk of cutting or scuffing cable.
- High corrosion resistance ideal for marine projects and harsh environments.
- Unique self-locking mechanism that allow easy and quick application or with available tools.
- High tensile strength – 60kg & 117kg
- Non-flammable



TRADE-TIE- The Tradesman's Choice

Tools & Manuals for Stainless Steel Cable Ties



**KT Cable Gun Ball Lock
Stainless Steel Cable Tie Gun.**

- Automatic Cut off
- Adjustable Tension

For: 4.6mm – 7.9mm mm



**KS652 Cable Tie Tool
Ball Lock Tensioner & Cutter Tool**

- Precision tension
- Manual Cut off

For: 4.6mm – 12mm

ID Tagging System

Using ID Tags ensures smart and effective cable identification. With slots up to 7mm width, the ID Tags are suitable to be used with **TRADE-TIE** Stainless Steel Ties. An ID Tag imprinter engraves ID tags and is available with a choice of character sizes.



ID Tag Imprinter Tool

Have a question, needing stock or technical advice?

We ship nationwide and are able to send express!

Call our experienced & friendly team (03) 9547 5833

Email us: sales@uespromura.com.au

Visit our website: www.uespromura.com.au