

Polaris Nominees Pty Ltd ACN 005 089 207 trading as

# UES Promura

ABN 55 155 859 127

PO Box 2  
Sandown Village Vic 3171

10 - 12 McWilliam Street  
Springvale Vic 3171

Telephone: (03) 9547 5833

Fax: (03) 9548 1537

Web Address: [www.uespromura.com.au](http://www.uespromura.com.au)

Email: [sales@uespromura.com.au](mailto:sales@uespromura.com.au)

## Promura Building Products *Specified by Builders since 1938*

**March 2022**

CONTENTS	PAGE
<b>Promura</b> Concrete Additives (100, 200, XX, 88, & <b>Bond Mate 500</b> )	1
<b>Promura</b> GripKote 300 Bitumen Paint	2
<b>Promura</b> Foam Expansion Jointing & Adhesive Backed Foam Expansion Jointing	2
<b>Promura</b> Polythene Dampcourse, Malthoid, Aluminium Flashing & Bitumen Coated Aluminium	3
<b>Promura</b> Wall Ties	4

### Advice & Customer Service:

Phone: 03 9547 5833  
Email: [sales@uespromura.com.au](mailto:sales@uespromura.com.au)

## Concrete Additives



### Promura 100 Clear Cement Waterproofer

Waterproofs mortar, external & internal cement render. Use 1 litre per 20 litres of water or 1 litre per 40kg of cement. Cement to sand ratio must be 1 to 3

Item Code	Pack Size Litres	Ctn Qty
<b>2L100</b>	2.5	6
<b>5L100</b>	5	4
<b>20L100</b>	20	1



### Promura 200 Quick Setter

Reduces the setting time of concrete.

Use 2.5 to 5 litres per 40kg of cement, depending on concrete strength.

Item Code	Pack Size Litres	Ctn Qty
<b>2L200</b>	2.5	6
<b>5L200</b>	5	4
<b>20L200</b>	20	1



### Promura XX Mortar Plasticiser

Suitable for use with *"fatty"* sands. Use 30ml per 40kg of cement or 250ml per 200 litres of water.

Item Code	Pack Size Litres	Ctn Qty
<b>2LXX</b>	2.5	6
<b>5LXX</b>	5	4
<b>20LXX</b>	20	1



### Promura 88 Mortar Plasticiser

Makes cement more workable. Suitable for use with *"course, hungry sand"*. Use 30 – 60 ml per 40kg of cement, depending on the type of sand.

Item Code	Pack Size Litres	Ctn Qty
<b>2L88</b>	2.5	6
<b>5L88</b>	5	4
<b>20L88</b>	20	1



### Promura Bond Mate 500 PVA Bonding Agent

Gives perfect adhesion for plaster or cement rendering.

Coat surface with a half strength solution of Promura Bond Mate

Item Code	Pack Size Litres	Ctn Qty
<b>2LBond Mate</b>	2.5	6
<b>5LBond Mate</b>	5	4
<b>20LBondMate</b>	20	1



**Promura GripKote 300 Multi-Purpose Waterproofing Bitumen Paint**  
 Water-Based \* Non-Toxic \* Non-Hazardous \* Odourless  
 Suitable for Waterproofing of Drinking Water Tanks and Fishponds

Item Code	Pack Size Litres	Carton Qty
<b>4LGripKote</b>	4	6
<b>20LGripKote</b>	20	1

**Promura Flex Foam Expansion Jointing (Zipped)**  
**25 Metre Rolls**

Item Code	Description	Qty per Pack
<b>Flex 25m 75mm</b>	25 metres x 75mm x 10mm	15
<b>Flex 25m 100mm</b>	25 metres x 100mm x 10mm	12
<b>Flex 25m 125mm</b>	25 metres x 125mm x 10mm	9
<b>Flex 25m 150mm</b>	25 metres x 150mm x 10mm	8



<b>Flex Adhes 75</b>	25 metres x 75mm x 10mm Adhesive	15
<b>Flex Adhes 100</b>	25 metres x 100mm x 10mm Adhesive	12
<b>Flex Adhes 125</b>	25 metres x 125mm x 10mm Adhesive	9
<b>Flex Adhes 150</b>	25 metres x 150mm x 10mm Adhesive	8
<b>Flex Adhes 200</b>	25 metres x 200mm x 10mm Adhesive	6

**WARNING:** THE CUSTOMER SHALL CONDUCT THEIR OWN TEST TO DETERMINE THE SUITABILITY AND THE FITNESS OF THE PRODUCT FOR THE CUSTOMER'S INTENDED USE.

## Dampcourse & Flashing

### Promura Black Embossed Polythene Dampcourse (500 Micron)

Item Code	Ctn Qty	Width mm	Length Metres
EMB110 R (12)	12	110	30
EMB150 R (8)	8	150	30
EMB230 R (8)	8	230	30
EMB300 R (6)	6	300	30
EMB380 R (4)	4	380	30

### Promura 2 Ply Malthoid Roofing and Dampcourse

Item Code	Width mm	Length Mt
MAL110	110	20
MAL150	150	20
MAL230	230	20
MAL1000	1000	20

### Promura 0.3mm Raw Aluminium Window Flashing

Item Code	Width mm	Length Mt
RAW15010	150	10
RAW23010	230	10
RAW30010	300	10


### Promura 0.3mm Standard Bitumen Coated Aluminium

Item Code	Width mm	Length Mt
STD110	110	10
STD150	150	10
STD230	230	10
STD300	300	10



**WARNING:** THE CUSTOMER SHALL CONDUCT THEIR OWN TEST TO DETERMINE THE SUITABILITY AND THE FITNESS OF THE PRODUCT FOR THE CUSTOMER'S INTENDED USE.

## Brick & Wall Ties



Item Code	Description	Pack Qty
<b>WALLDR(500) C</b>	Double Ring, Light Duty 50mm Cavity	500
<b>WALLUSHD120C</b>	Heavy Duty U-Shape 120mm Cavity	250
<b>V Form Tie</b>	V Form Vertical Control Gap Tie	20
<b>VENTSLIM (20)</b>	Vent 230mm x 75mm Slim Vent	20
<b>SLIMTIEFF</b>	Slim Ties Face Fix With Nails	150
<b>EXPTIEPLAS</b>	Expansion Ties with Plastic Slide	50